

## 7 REFERENCIAS

Ahumada R (1992) Patrones de distribución espacial de Cr, Ni, Cu, Zn, Cd y Pb, en sedimentos superficiales de Bahía San Vicente, Chile. *Rev. Biol. Mar, Valparaíso* 27:265–282.

Ahumada R (1994) Nivel de concentración e índice de bioacumulación para metales pesados (Cd, Cr, Hg, Ni, Cu, Pb y Zn) en tejidos de invertebrados benthicos de Bahía San Vicente, Chile. *Rev. Biol. Mar* 29:77–87.

Angelini, R., Petrere Jr., M., 2000. A model for the plankton system of the Broa reservoir, Sao Carlos. *Braz. Ecol. Model.* 126, 131-137.

Aparicio-González A, Duarte CM, Tovar-Sánchez A (2012) Trace metals in deep ocean waters: A review. *J Mar Syst* 100:26–33.

Arana PM (2012) Recursos Pesqueros del Mar de Chile.

Arancibia H, Neira S (2005) Long-term changes in the mean trophic level of Central Chile fishery landings \*. *69:295–300.*

Avaria S, Alvial A (1985) La investigación ecológica del fitoplancton marino. *Rev. Biol. Mar.* 21:61–106.

Avaria S. 1971. Variaciones mensuales del fitoplancton de la bahía de Valparaíso, entre julio de 1963 y julio de 1966. *Rev. Biol. Mar. Valparaíso*, 14 (3): 15-43.

Bertrand A, Barbieri MA, Gerlotto F, et al (2006) Determinism and plasticity of fish schooling behaviour as exemplified by the South Pacific jack mackerel *Trachurus murphyi*. *Mar Ecol Prog Ser* 311:145–156.

Brazeiro A. (1999). Community patterns in sandy beaches of Chile: richness, composition, distribution and abundance of species. *Revista Chilena de Historia Natural* 72: 93-105

Buccolieri A, Buccolieri G, Cardellicchio N, et al (2006) Heavy metals in marine sediments of Taranto Gulf (Ionian Sea, Southern Italy). *Mar Chem* 99:227–235.

Bumett LE, Stickle WB (2001) Coastal and Estuarine, *Studies Coastal Hypoxia: Consequences for living Resources and Ecosystems.* p 101–114.

Camus PA, Andrade YN (1999) Diversidad de comunidades intermareales rocosas del norte de Chile y el efecto potencial de la surgencia costera. *Rev Chil Hist Nat* 72:389–410.

Camus PA, Arancibia PA (2013) A trophic characterization of intertidal consumers on Chilean rocky shores. *Rev Biol Mar Oceanogr* 48:431–450. doi: 10.4067/S0718-19572013000300003

Carrasco F.D & V.A. Gallardo. (1989). La contaminación marina y el valor de la macroinfauna bentónica en su evaluación y vigilancia: casos de estudio en el litoral de Concepción, Chile. *Biología pesquera* 18: 15-27.

Carrillo P (2012) Comportamiento Del Oxígeno Disuelto En Dos Estaciones Costeras La Libertad Y Manta, Como Aporte Al Conocimiento Del Fenómeno “El Niño.” Acta Ocean del Pacífico 17:21–29.

Castillo A, Valdés J (2011) Contenido de metales en Cancer polyodon (Crustacea: Decápoda) en un sistema de bahías del norte de Chile (27°S). Lat Am J Aquat Res 39:461–470.

CEA (2017) Diagnóstico y Monitoreo Ambiental de la Bahía Mejillones del Sur. Código BIP 30126368.

Cerda M, Knoppers B, Valdés J, et al (2010) Variación espacial y temporal de las masas de agua, nutrientes y sedimentación de la materia orgánica e inorgánica en la bahía Mejillones del sur (23° S), Chile. Rev Chil Hist Nat 83:409–420. doi: 10.4067/S0716-078X2010000300008

Chavez RA, Valdivia IM, Oliva ME (2007) Local variability in metazoan parasites of the pelagic fish species, *Engraulis ringens*: implications for fish stock assessment using parasites as biological tags. J Helminthol 81:113–116. doi: 10.1017/S0022149X07726573

Chen C (2006) Chemistry of Sea Water. Encycropedia Life Support Syst 165–227.

Christensen, V., 1995. Ecosystem maturity-towards quantification. Ecol. Model. 77, 3-32.

Christensen, V., Pauly. D., 1992. Ecopath II: a software for balancing steady-state ecosystem models and calculating network characteristics. Ecol. Model. 61, 169-185.

Cobelo-García A, Prego R (2004) Influence of point sources on trace metal contamination and distribution in a semi-enclosed industrial embayment: The Ferrol Ria (NW Spain). Estuar Coast Shelf Sci 60:695–703.

Comisión Nacional del Medio Ambiente (2008) Biodiversidad de Chile, Patrimonio y Desafíos.

Condiciones paleoambientales de sedimentación y preservación de materia orgánica en bahía Mejillones del Sur (23°S), Chile. Jorge Valdés, Liliana Lopez, Salvador LoMónaco y Lue Ortlieb. Revista de Biología Marina y Oceanografía 35(2):169-180 diciembre de 2000.

Contreras H, Jaramillo E, Quijón P (2000) Natural history of *Emerita* analoga (Stimpson) (Anomura, Hippidae) in a sandy beach of northern Chile. Rev Chil Hist Nat 73:1–17.

Costanza R (1992) Toward an operational definition of health. In: Costanza R, Norton B and Haskell B (eds.) Ecosystem Health: New Goals for Environmental Management. Island Press, Wash- ington DC.

Costanza R, Mageau M (1999) What is a healthy ecosystem ? Aquat Ecol 33:105–115.

Costanza, R., Mageau, M., 1999. What is a healthy ecosystem? Aquat. Ecol. 33, 105-115.

Cropp, R., Gabric, A., 2002. Ecosystem adaptation: do ecosystems maximize resilience? Ecology 83, 2019-2026.

Da Silva J, Williams R (2001) The Biological Chemistry of the Elements: The inorganic

chemistry of life. Oxford Univ Press USA 1155–1160.

Daneri G, Dellarossa V, Quiñones R, et al (2000) Primary production and community respiration in the Humboldt Current System off Chile and associated oceanic areas. *Mar Ecol Prog Ser* 197:41–49.

Diaz RJ, Rosenberg R (1995) Marine benthic hypoxia: A review of its ecological effects and the behavioural responses of benthic macrofauna. *Oceanogr Mar Biol* 33:245–303.

Escribano R (1998) Population dynamics of *Calanus chilensis* in the Chilean Eastern Boundary Humboldt Current. *Fish Oceanogr* 7:245–251.

Escribano R, Fernández M, & Aranís A. 2003. Physical-chemical processes and patterns of diversity of the Chilean Eastern Boundary pelagic and benthic marine ecosystems: an overview. *Gayana* 67(2): 190-203.

Escribano R, Hidalgo P., González H., Giesecke R., Riquelme R & Manríquez K. 2007. Seasonal and inter-annual variation of mesozooplankton in the coastal upwelling zone off central-southern Chile. *Progress in Oceanography*. 75 (3): 470-485.

Escribano R, McClaren I (1999) Production of *Calanus chilensis* in the upwelling area of Antofagasta, Northern Chile Production of *Calanus chilensis* in the upwelling area of Antofagasta, northern Chile. *Mar Ecol Prog Ser* 177:147–156.

Evaluación de metales redox-sensitivos como proxies de paleoxigenación en un ambiente marino hipóxico del norte de Chile. <Jorge Valdés. *Revista Chilena de Historia Natural* 77:121-138.2004

FAO, OMS (2015) Norma general para los contaminantes y las toxinas presentes en los alimentos y piensos. Codex Stan 193-1995 (Enmienda 2015).

Fariña J., Aldana M., Ogalde F. & Ojeda F. 2000. Ecología trófica de *Girella laevis* (Pisces: Kyphosidae) en zonas intermareales rocosas del norte de Chile afectadas y no afectadas por contaminantes derivados de la minería del cobre. *Revista Chilena de Historia Natural*. 73: 139-149.

Fath, B., Patten, B., Choi, J., 2001. Complementarity of ecological goal functions. *J. Theor. Biol.* 208, 493-506.

Fauchald K. & P. Jumars. (1979). The diet of worms: A study of polychaete feeding guilds. *Oceanogr. Mar. Biol. Ann. Rev.*, 17, 193-284.

Fernández D, Escribano R, Hidalgo P, et al (2002) Distribución de eufáusidos en el sistema de surgencia frente a la península de Mejillones (23°S) asociada a condiciones previas y durante El Niño 1997-98. *Investig Mar* 30:25–43.

Flores-Aqueveque V, Alfaro S, Muñoz R, et al (2010) Aeolian erosion and sand transport over the Mejillones Pampa in the coastal Atacama Desert of northern Chile. *Geomorphology* 120:312–325. doi: 10.1016/j.geomorph.2010.04.003

Friedrich J, Janssen F, Aleynik D, et al (2014) Investigating hypoxia in aquatic environments: Diverse approaches to addressing a complex phenomenon. *Biogeosciences* 11:1215–1259. doi: 10.5194/bg-11-1215-2014

Gallardo M de los Á, González López AE, Ramos M, et al (2017) Reproductive patterns in demersal crustaceans from the upper boundary of the OMZ off north-central Chile. *Cont Shelf Res* 141:26–37.

Gilly WF, Beman JM, Litvin SY, Robison BH (2013) Oceanographic and Biological Effects of Shoaling of the Oxygen Minimum Zone. *Ann Rev Mar Sci* 5:393–420.

Gonzalez F, Schalscha E, Becerra J, Silva M (2002) Mercury in a marine trophic chain. *Bull Environ Contam Toxicol* 68:448–454.

González, J., Ortiz, M., Rodríguez-Zaragoza, F., Ulanowicz, R., 2016. Assessment of long-term changes of ecosystem indexes in Tongoy Bay (SE Pacific coast): Based on trophic network analysis. *Ecol. Indic.* 69, 390-399.

Gray J.S., M.Aschan, M.R.Carr, K.R.Clarke, R.H.Green, T.H. Pearson, R. Rosenberg & R.M. Warwick. (1988). Analysis of community attributes of the benthic macrofauna of Frierfjord/Langesundfjord and in a mesocosm experiment. *Mar. Ecol. Prog. Ser.* Vol. 46: 151-165.

Gray JS (2002) Biomagnification in marine systems: The perspective of an ecologist. *Mar Pollut Bull* 45:46–52.

Gray JS, Elliott M (2009) *Ecology of marine sediments*, Second Edi. Oxford University Press, New York

Gray JS, Wu RS, Or YY (2002) Effects of hypoxia and organic enrichment on the coastal marine environment. *Mar Ecol Prog Ser* 238:249–279. doi: 10.3354/meps238249

Griscom SB, Fisher NS (2004) Bioavailability of Sediment-bound Metals to Marine Bivalve Molluscs: An Overview. *Estuarines Res Fed* 27:826–838.

Grizzle R.E. & C.A. Penniman. (1991). Effects of organic enrichment on estuarine macrofaunal benthos: a comparison of sediment profile imaging and traditional methods. *Mar. Ecol. Prog. Ser.* Vol. 74: 249-262.

Guíñez M, Valdes J, Castillo A (2015) Contenido de metales en sedimentos y en *Emerita analoga* (Stimpson, 1857), en bahía Mejillones del Sur, Chile. *Lat Am J Aquat Res* 43:94–106.

Guíñez M, Valdés J, Sifeddine A (2010) Variabilidad espacial y temporal de la materia orgánica sedimentaria, asociada a la Zona de Mínimo Oxígeno (ZMO), en un ambiente costero del norte de la corriente de Humboldt, bahía de Mejillones, Chile. *Am J Aquat Res* 38:242–253.

Guzmán N, S. Saa & L. Ortlieb. (1998). Catálogo descriptivo de los moluscos litorales (Gastropoda y Pelecypoda) de la zona de Antofagasta 23°S (Chile). *Estud. Oceanol.* 17: 17-86.

Hall J (2002) Bioconcentration, bioaccumulation, and biomagnification in puget sound biota, assessing the ecological risk of chemical contaminants in Puget Sound. *Univ Washingt Tacoma* 1–19.

Halpin PM, Strub PT, Peterson WT, Baumgartner TR (2004) An overview of interactions among oceanography, marine ecosystems, climatic and human disruptions along the eastern margins of the Pacific Ocean. *Rev Chil Hist Nat* 77:371–409.

Hidalgo P, Escribano R, Morales CE (2005) Annual life cycle of the copepod *Eucalanus inermis* at a coastal upwelling site off Mejillones (23°S), northern Chile. *Mar Biol* 146:995–1003.

- Hunt Carlton D.; Smith DL (1983) Remobilization of Metals from Polluted Marine Sediments. *Can J Fish Aquat Sci*.
- Hyde, D., Hermann, H., Schmidt, K., & Richardson, K. (2011). Guía para la elaboración de fichas de evaluación ecológica.
- Iriarte JL, González HE (2004) Phytoplankton size structure during and after the 1997 / 98 El Niño in a coastal upwelling area of the northern Humboldt Current System. *Mar Ecol Prog Ser* 269:83–90.
- Iriarte JL, Pizarro G, Troncoso VA, Sobarzo M (2000) Primary production and biomass of size-fractionated phytoplankton off Antofagasta, Chile (23-24°S) during pre-El Niño and El Niño 1997. *J Mar Syst* 26:37–51.
- Jamshidi-Zanjani A, Saeedi M, Li LY (2014) A risk assessment index for bioavailability of metals in sediments: Anzali International Wetland case study. *Environ Earth Sci* 73:2115–2126. doi: 10.1007/s12665-014-3562-5
- Jaramillo E, Carrasco F, Quijón P, Pino M (1998) Distribución y estructura comunitaria de la macrofauna bentónica en la costa del norte de Chile. *Rev Chil Hist Nat* 71:459–478.
- Jaramillo E. (1982). Taxonomy, natural history and zoogeography of sand beach isopods from the coast of southern Chile. *Studies on Neotropical Fauna and Environment* 17:175-194.
- Jaramillo E., A. McLachlan & P. Coetzee. (1993). Intertidal zonation patterns of macrofauna over a range of exposed sandy beaches in south-central Chile. *Mar. Ecol. Prog. Ser.* Vol. 101: 105-118
- Jaramillo E., F. Carrasco, P. Quijón, M. Pino & H. Contreras. (1998). Distribución y estructura comunitaria de la macrofauna bentónica en la costa del norte de Chile. *Revista Chilena de Historia Natural* 71: 459-478.
- Kaufman, A., Borrett, S., 2010. Ecosystem network analysis indicators are generally robust to parameter uncertainty in a phosphorus model of Lake Sidney Lanier, USA. *Ecol. Model.* 221, 1230-1238.
- Laudien J, Rojo ME, Oliva ME, et al (2007) Sublittoral soft bottom communities and diversity of Mejillones Bay in northern Chile (Humboldt Current upwelling system). *Helgol Mar Res* 61:103–116. doi: 10.1007/s10152-007-0057-8
- Libes S (2009) Introduction to marine biogeochemistry, Second edi. Burlington
- Luoma SN, Rainbow PS (2005) Why Is Metal Bioaccumulation So Variable?: Biodynamics as a Unifying Concept. *Environ Sci Technol* 39:1921–1931.
- Marín V & Olivares G. 1999. Estacionalidad de la productividad primaria en Bahía Mejillones del Sur (Chile): una aproximación proceso-funcional. *Revista Chilena de Historia Natural*. 72: 629-641.
- Neira S, Arancibia H (2004) Trophic interactions and community structure in the upwelling system off Central Chile ( 33 – 39 8 S ). *J Exp Biol Ecol* 312:349–366.
- Odum, E., 1969. The strategy of ecosystem development. *Science* 104, 262-270.
- Ojeda FP, Labra FA, Muñoz A (2000) Biogeographic patterns of Chilean littoral fishes. *Mar Ecol Prog Ser* 200:625–641.

Olsen CR, Cutshall NH, Larsen IL (1982) Pollutant-particle associations and dynamics in coastal marine environments: a review. *Mar Chem* 11:501–533.

Ortiz M, Berrios F, Campos L, et al (2015) Mass balanced trophic models and short-term dynamical simulations for benthic ecological systems of Mejillones and Antofagasta bays (SE Pacific): Comparative network structure and assessment of human impacts. *Ecol Modell* 309–310:153–162.

Ortiz, M., et al., 2016. Macroscopic network properties and short-term dynamic simulations in coastal ecological systems at Fildes Bay (King George Island, Antarctica). *Ecol. Complex.* 28, 145-157.

Ortlieb L, Escribano R, Follegati R, et al (2000) Recording of ocean-climate changes during the last 2,000 years in a hypoxic marine environment off northern Chile (23°S).

Packard TT (1969) The estimation of the oxygen utilization rate in seawater from the activity of the respiratory electron transfer system in plancton. Thesis 1–130.

Palma S, Apablaza P (2004) Seasonal abundance and vertical distribution of the carnivorous gelatinous zooplankton in an upwelling area of the northern Humboldt Current System | Abundancia estacional y distribución vertical del zooplancton gelatinoso carnívoro en una área de surgencia. *Investig Mar* 32:49–70.

Pauly, D., et al., 1998. Fishing down marine food webs. *Science* 279 (5352), 860-863.

Perez-Espana, H., Arreguin-Sanchez, F., 2001. An inverse relationship between stability and maturity in models of aquatic ecosystems. *Ecol. Model.* 145, 189-196.

Rainbow PS (2007) Trace metal bioaccumulation: Models, metabolic availability and toxicity. *Environ Int* 33:576–582.

Ravera, O. & N. Riccardi. (1997). Biological monitoring with organism accumulator of pollutants. *Marine Chemistry* 58: 313-318.

Reddin CJ, Docmac F, O'Connor NE, et al (2015) Coastal upwelling drives intertidal assemblage structure and trophic ecology. *PLoS One* 10:1–21. doi: 10.1371/journal.pone.0130789

Riedel B, Pados T, Pretterebner K, et al (2014) Effect of hypoxia and anoxia on invertebrate behaviour: ecological perspectives from species to community level. 1491–1518. doi: 10.5194/bg-11-1491-2014

Rodríguez L (2004) Observaciones sobre efectos de El Niño 1997-1998 en el fitoplancton de bahía Antofagasta y durante un fenómeno de surgencia en bahía Mejillones del Sur, Antofagasta, Chile. *El Niño-La Niña 1997-2000 Sus Efectos en Chile* 97–118.

Rodríguez L, Escribano R, Grone G, Irribarren C & Castro H. 1996. Ecología del fitoplancton en la Bahía de Antofagasta (23°S), Chile. *Rev.Biol.Mar. Valparaíso*, 31(2):65-80.

Rodríguez L, V Marín MF & EO (1991) Identification of an upwelling zone by remote sensing and in situ measurements. *Mejillones del Sur Bay (Antofagasta-Chile)*. 4.

Rodríguez-Graña L, Castro LR (2003) Ichthyoplankton distribution off the Peninsula de Mejillones, Chile (S 71 ° W), under variable hydrographic conditions during the austral summer and winter of the 1997 El Niño. *Hydrologia* 501:59–73.

Rojas PM (2014) Diel variation in the vertical distribution of fish larvae forced by upwelling filaments off Punta Angamos ( northern Chile ). *Lat Am J f Aquat Res* 42:401–417. doi: 10.3856/vol42-issue3-fulltext-2

Rojas PM, Escribano R, Marín VH (2002) Fish larvae distribution off Mejillones Peninsula (northern Chile) during a coastal upwelling event in Spring 1999: Interactions with the cold upwelling plume. *Fish Oceanogr* 11:233–244.

Ruz PM, Hidalgo P, Yáñez S, et al (2015) Egg production and hatching success of *Calanus chilensis* and *Acartia tonsa* in the northern Chile upwelling zone (23°S), Humboldt Current System. *J Mar Syst* 148:200–212.

Salvador MF, Avaria CC (2008) Variabilidad de la temperatura superficial del mar, identificación de surgencias costeras y su relevancia en un área marina costera protegida del desierto de atacama, Chile. *Rev Geogr Norte Gd* 49–61.

Santader E, Herrera L. & Merino C. Daily fluctuation of phytoplankton in the upper layer of the ocean during the spring of 1997 in the north of Chile (20°18'S):II. Specific composition and celular abundance. *Revista de biología marina y oceanografía*. 38(1): 13-25.

Santschi P, Höhener P, Benoit G, Buchholtz-ten Brink M (1990) Chemical processes at the sediment-water interface. *Mar Chem* 30:269–315.

Sobarzo M, Figueroa D (2001) The physical structure of a cold lamente in a Chilean upwelling zone (Península de Mejillones, Chile, 23o S). *Deep Res* 48:2699–2726.

Thiel M, EC Macaya, E Acuña, WE Arntz, H Bastías, K Brokordt, PA Camus, JC Castilla, LR Castro, M Cortéz, CP Dumont, R Escribano, M Fernández, JA Gajardo, CF Gaymer, I Gómez, AE González, HE González, PA Haye, JE Illanes, JL Iriarte, DA Lancellotti, G Luna-Jorquera, C Luxoro, PH Manriquez, V Marín, P Muñoz, SA Navarrete, E Pérez, E Poulin, J Sellanes, HH Sepúlveda, W Stotz, F Tala, A Thomas, CA Vargas, JA Vásquez & JMA Vega (2007). The Humboldt Current system of northern and central Chile. *Oceanographic processes, ecological interactions and socioeconomic feedback*. *Oceanography and Marine Biology: An Annual Review*, 2007, 45. 195-344

Thiel M, EC Macaya, E Acuña, WE Arntz, H Bastías, K Brokordt, PA Camus, JC Castilla, LR Castro, M Cortéz, CP Dumont, R Escribano, M Fernández, JA Gajardo, CF Gaymer, I Gómez, AE González, HE González, PA Haye, JE Illanes, JL Iriarte, DA Lancellotti, G Luna-Jorquera, C Luxoro, PH Manriquez, V Marín, P Muñoz, SA Navarrete, E Pérez, E Poulin, J Sellanes, HH Sepúlveda, W Stotz, F Tala, A Thomas, CA Vargas, JA Vásquez & JMA Vega (2007). The Humboldt Current system of northern and central Chile. *Oceanographic processes, ecological interactions and socioeconomic feedback*. *Oceanography and Marine Biology: An Annual Review*, 2007, 45. 195-344

Thiel M, Macaya EC, Acuña E, et al (2007) The Humboldt current system of northern and central Chile *Oceanographic processes, ecological interactions and socioeconomic feedback*. *Oceanogr Mar Biol* 45:195–344.

Torres CG, Escribano R (2003) Growth and development of *Calanus chilensis* nauplii reared under laboratory conditions: Testing the effects of temperature and food resources. *J Exp Mar Bio Ecol* 294:81–99. doi: 10.1016/S0022-0981(03)00261-2

Torres R, Turner D, Rutllant J, et al (2002) CO<sub>2</sub> outgassing off central Chile (31-30°S) and northern Chile (24-23°S) during austral summer 1997: The effect of wind intensity on the upwelling and ventilation of CO<sub>2</sub>-rich waters. *Deep Res Part I Oceanogr Res Pap* 49:1413–1429. doi: 10.1016/S0967-0637(02)00034-1

Ulanowicz, R., 1986. *Growth and Development: Ecosystems Phenomenology*. Springer, New York.

Ulanowicz, R., 1997. *Ecology, the ascendant perspective. Complexity in Ecological Systems Series*. Columbia University Press, New York.

Ulanowicz, R., Abarca-Arenas, L., 1997. An informational synthesis of ecosystem structure and function. *Ecol. Model.* 95, 1-10.

Ulloa R, Vargas A, Hudson C, Rivadeneira M (2013) Zoning of the Mejillones Peninsula marine protected coastal area of multiple uses, northern Chile. *Lat Am J Aquat Res* 41:506–518. doi: 103856/vol41-issue3-fulltext-14

Valdés J (2012) Heavy metal distribution and enrichment in sediments of Mejillones Bay (23° S), Chile: A spatial and temporal approach. *Environ Monit Assess* 184:5283–5294.

Valdés J, Guíñez M, Castillo A, Vega SE (2014) Cu, Pb, and Zn content in sediments and benthic organisms from San Jorge Bay (northern Chile): Accumulation and biotransference in subtidal coastal systems. *Ciencias Mar* 40:45–58.

Valdés J, Ortlieb L, Gutierrez D, et al (2008) 250 years of sardine and anchovy scale deposition record in Mejillones Bay, northern Chile. *Prog Oceanogr* 79:198–207.

Valdés J, Ortlieb L, Sifeddine A (2003) Sistema de surgencia de Punta Angamos (23 S) y la Zona de Mínimo Oxígeno durante el pasado reciente: Una aproximación desde el registro sedimentario. *Rev Chil Hist Nat* 347–362.

Valdés J, Román D, Alvarez G, et al (2008) Metals content in surface waters of an upwelling system of the northern Humboldt Current (Mejillones Bay, Chile). *J Mar Syst* 71:18–30.

Valdés J, Sifeddine A (2009) Composición elemental y contenido de metales en sedimentos marinos de la bahía Mejillones de Sur, Chile. *Lat Am J Aquat Res* 37:131–141.

Valdés J, Sifeddine A, Boussafir M, Ortlieb L (2014) Redox conditions in a coastal zone of the Humboldt system (Mejillones, 23° S). Influence on the preservation of redox-sensitive metals. *J Geochemical Explor* 140:1–10. doi: 10.1016/j.gexplo.2014.01.002

Valdés J, Sifeddine A, Ortlieb L, Pierre C (2009) Interplay between sedimentary organic matter and dissolved oxygen availability in a coastal zone of the Humboldt Current System; Mejillones Bay, northern Chile. *Mar Geol* 265:157–166. doi: 10.1016/j.margeo.2009.07.004

Valdés J, Valencia R, Ortiz M, et al (2007) Alianza Universidad-Gobierno-Empresa: Un Enfoque Ecosistémico Para Una Estrategia De Manejo Sustentable De La Bahía Mejillones Del Sur.

Valdés J, Vargas G, Sifeddine A, et al (2005) Distribution and enrichment evaluation of heavy metals in Mejillones Bay (23°S), Northern Chile: Geochemical and statistical approach. *Mar Pollut Bull* 50:1558–1568.



- Vallejos-Romero A., Oñate Ñ. M. (2013) Comunicación de Riesgos Ecológicos: El caso de la contaminación atmosférica en dos ciudades intermedias del sur de Chile. *Rev. Int. Contam. Ambie.* 28(1) 59-75.
- Vaquersunyer R, Duarte CM (2008) Thresholds of hypoxia for marine biodiversity. *PNAS* 2008:15452–15457.
- Vargas G, Ortlieb L, Pichon JJ, et al (2004) Sedimentary facies and high-resolution primary production inferences from laminated diatomaceous sediments off northern Chile (23°S). *Mar Geol* 211:79–99.
- Waldichuk M (1974) Coastal marine pollution and fish. *Ocean Manag* 2:1–60.
- Vasquez JA, Camus PA, Patricio F (1998) Diversity, structure and functioning of rocky coastal ecosystems in northern Chile. *Rev Chil Hist Nat* 71:479–499.
- Viviani CA (1979) Eco geografía del litoral chileno. *Stud Neotrop Fauna Environ* 14:65–123.
- Waldichuk M (1974) Coastal marine pollution and fish. *Ocean Manag* 2:1–60.
- Wang WX, Rainbow PS (2005) Influence of metal exposure history on trace metal uptake and accumulation by marine invertebrates. *Ecotoxicol Environ Saf* 61:145–159.
- Warwick, R.M. & K.R. Clarke (1994). Relearning the ABC: taxonomic changes and abundance/biomass relationships in disturbed benthic communities. *Marine Biology* 118, p.739-744
- Warwick, R.M. (1986). A New Method for Detecting Pollution Effects on Marine Macrobenthic Communities. *Mar. Biol.*, 92: 557-562.
- Warwick, R.M. (1988). Effects on community structure of a pollutant gradient-introduction. *Mar. Ecol. Prog. Ser.* Vol. 46: 149.
- White SL, Rainbow PS (1985). On the metabolic requirements for copper and zinc in molluscs and crustaceans. *Mar Environ Res*;16: 215–29.
- Wolff, M., 1994. A trophic model for Tongoy Bay –a system exposed to suspended scallop culture (Northern Chile). *J. Exp. Mar. Biol. Ecol.* 182, 149-168.
- Zuñiga O (2002) Guía de biodiversidad No1. Moluscos. CREA, Antofagasta 1:43.
- Zuñiga O, Baeza H, Castro R (1983) Análisis de la macrofauna bentónica del sublitoral de la bahía de Mejillones del Sur. *Estud Ocean* 3:41–62.